

365 Saratoga Avenue Ballston Spa, NY 12020 518-885-5650 www.ballstonspavet.com

Canine Aggression Screen

This screen can be used in three ways:

- 1. To note the presence or absence, at any time, of any of the behaviors.
- 2. To log the baseline behavior, noting how many times the behavior occurs, given the number of times it is attempted, per unit time (i.e., per week).
- 3. To log frequencies of the occurring behaviors, given the number of times the circumstance has been encountered, during treatment so that these numbers can be compared with # 2.

Note if the reaction is consistent in style or is directed toward only one person or is present in only one restricted circumstance. It is worth noting whether the dog is subjectively becoming more or less intense (or harder or easier to interrupt) in its behavior (>I [intensity], <I, relatively).

The process for treating behavior issues involves many important steps.

Step 1: Forms must be filled out in detail and returned to the clinic. These will be carefully reviewed by the doctor before your appointment. All of your answers are confidential. The cost for doctor review in preparation for visit and behavior consult is \$152.25, paid at form drop-off.

Step 2: After receiving forms and payment, the receptionist will schedule the exam, labwork and consultation.

Step 3: Bring your pet in for a physical exam, blood and urine tests and the behavior consultation with the doctor.

Costs: Physical Exam \$ 72.00 Labwork \$ 171.00

Behavior Consultation \$ 152.25 (pre-paid at step 1)

Additional cost could include medications for physical or behavioral problems.

Step 4: At the end of the visit, written material will either be given to you or mailed.

Key: NR = No Reaction; SL = Snarl/Lift Lip; BG = Bark, Growl (aggressive, not alerting bark); SB = Snap/Bite; NA = Not Applicable

| | NR | SL | BG | SB | NA |
|---|------|-----|----|----|--|
| Take dog's food dish with food | 1,11 | OL. | 50 | OB | 177 |
| Take dog's empty food dish | | | | | |
| 3. Take dog's water dish | | | | | |
| 4. Take food (human) that falls on floor | | | | | |
| 5. Take rawhide | | | | | |
| 6. Take real bone | | | | | |
| 7. Take biscuit | | | | | |
| 8. Take toy | | | | | |
| 9. Human approaches dog while eating | | | | | |
| 10. Dog approaches dog while eating | | | | | |
| 11. Human approaches dog while playing with toys | | | | | |
| 12. Dog approaches dog while playing with toys | | | | | |
| 13. Human approaches/disturbs dog while sleeping | | | | | |
| 14. Dog approaches/disturbs dog while sleeping | | | | | |
| 15. Step over dog | | | | | |
| 16. Push dog off bed/couch | | | | | |
| 17. Reach toward dog | | | | | |
| 18. Reach over head | | | | | |
| 19. Put on leash | | | | | |
| 20. Human pushes on shoulders | | | | | |
| 21. Dog mounts, pushes on shoulders | | | | | |
| 22. Human pushes on rump | | | | | |
| 23. Dog mounts, pushes on rump | | | | | |
| 24. Towel feet when wet | | | | | |
| 25. Bathe dog | | | | | |
| 26. Groom dog's head | | | | | |
| 27. Groom dog's body | | | | | |
| 28. Human stares at dog | | | | | |
| 29. Dog stares at dog | | | | | |
| 30. Take muzzle in hands and shake | | | | | |
| 31. Push dog over onto back | | | | | |
| 32. Stranger knocks on door | | | | | |
| 33. Stranger enters room | | | | | |
| 34. Dog in car at toll booth | | | | | |
| 35. Dog in car at gas station | | | | | |
| 36. Dog on leash approached by dog on street | | | | | |
| 37. Dog on leash approached by person on street | | | | | |
| 38. Dog in yard – person passes | | | | | |
| 39. Dog in yard – person passes | | | | | - |
| 40. Dog in veterinarian's office | | | | | - |
| 41. Dog in boarding kennel | | | | | - |
| 42. Dog at groomer | | | | | |
| | | | | | |
| 43. Dog yelled at 44. Dog corrected with leash | | | | | |
| 45. Dog corrected with least | | | | | |
| 46. Someone raises voice to client in presence of dog | | | | | |
| 47. Someone hugs/touches client in presence of dog | | | - | | |
| | | | | | |
| 48. Squirrels, cats, small animals approach dog | | | | | |
| 49. Bicycles, skateboards nearby | | | | | |
| 50. Crying infant | | | | | |
| 51. Playing with 2-year-old children | | | | | |
| 52. Playing with 5 to 7-year-old children | | | | | |
| 53. Playing with 8 to 11-year-old children | | | 1 | | |
| 54. Playing with 12 to 16-year-old children | | | | | |

| 1. | Number of total bites |
|----|--|
| | □ 0 □ 1 □ 2 □ 3 □ 4 □ 5 □ >5 |
| 2. | Number of bites that broke skin |
| | □ 0 □ 1 □ 2 □ 3 □ 4 □ 5 □ >5 |
| 3. | Number of bites reported and to whom (i.e., local authorities, hospital, humane society). |
| | Number reported |
| | \square 0 \square 1 \square 2 \square 3 \square 4 \square 5 \square >5 |
| | Reported to: |
| 4. | Was there legal action taken against you as a result of the bite(s)? |
| | Yes |
| | □ No |
| 5. | Frequency of occurrence of the undesirable behavior(s): |
| | * Complaint 1 |
| | ☐ Daily |
| | Weekly |
| | ☐ Monthly |
| | Percent of time that the pet is in situation and during which undesirable behavior occurs: |
| | Less than 25% |
| | 25% to 50% |
| | ☐ 51% to 75% ☐ 76% to 100% |
| | |
| | * Complaint 2 |
| | ☐ Daily☐ Weekly |
| | Monthly |
| | Percent of time that the pet is in situation and during which undesirable behavior occurs: |
| | Less than 25% |
| | 25% to 50% |
| | 51% to 75% |
| | ☐ 76% to 100% |
| | * Complaint 3 |
| | ☐ Daily |
| | Weekly |
| | ☐ Monthly |
| | Percent of time that the pet is in situation and during which undesirable behavior occurs: |
| | Less than 25% |
| | ☐ 25% to 50% ☐ 51% to 75% |
| | ☐ 76% to 100% |
| | Date last updated: 9/21/19 |